

Eurotech

SHOWERS



KENSINGTON

EUROGLIDE

Frameless
Design

**Enduro
Shield**

10 YEAR WARRANTY

GLASS COATING
REDUCES CLEANING
TIME BY UP TO 90%

KENSINGTON

Euroglide Frameless
Single Sliding Shower Door



finish options



chrome



brushed
nickel



- 304 Stainless steel hardware
- Polycarbonate seals provide splash control
- Up to 3/8" adjustment for out of plumb conditions
- 10mm (3/8") Clear tempered glass
-  Coating reduces cleaning time by up to 90%
- Reversible door location capability
- Four 55mm double sided rollers
- Fits 56 1/2" to 60" wide openings
- One flush pull
- One towel bar
- Custom sizes available




Eurotech
SHOWERS


Designed by
Eurotech Showers
in California




Eurotech SHOWERS




Pre-cut stainless steel track
fits 56 1/2" to 59" openings




Adjustable for out of plumb walls
up to 1/2"




Easy adjust rollers
from one side



Glass grippers
keep doors closed
if header is out of level



Engineered templates
easily determines hardware placement





Installer kit
drill bit, sealant finishing tool,
hex wrenches, painters tape

Overhead Track View



Overhead Curb View



- Shower door style: single sliding
- Glass thickness: 10mm (3/8") clear tempered glass
- Hardware: stainless steel
- Roller size: 55mm
- Handle size: 2-5/16" diameter
- Towel bar: 24"
- Guide size: 1-3/4" x 1-3/16"

- Unit height: 78"
- Unit width Min: 56-1/2"
- Unit width Max: 60"
- Walk-through width Min: 25-1/2"
- Walk-through width Max: 29-1/16"
- Walk-through height: 73"