

# Eurotech

## SHOWERS



**BRIGHTON**

**TWINGLIDE**

*Frameless*  
Design




# BRIGHTON

Twinglide Frameless  
Double Sliding Shower Door



finish options



chrome brushed nickel matte black




- Industrial gauge aluminum header
- Up to 1/2" adjustment for out of plumb conditions
- Stainless steel hardware
- 8mm (5/16") Clear tempered glass
- Reversible door location capability
-  Coating reduces cleaning time by up to 90%
- Four 45mm double sided easy adjust rollers
- Fits 56 1/2" to 60" wide openings
- Glass grippers incorporated into wall brackets
- One ladder style towel bar
- One knob handle
- Custom sizes available




**Eurotech  
SHOWERS**

Designed by  
Eurotech Showers  
in California







**Pre-cut stainless steel track**  
fits 56 1/2" to 59" openings




**Adjustable for out of plumb walls**  
up to 1/2"




**Easy adjust rollers**  
from one side



**Glass grippers**  
keep doors closed  
if header is out of level





**Engineered templates**  
easily determines hardware placement



**Installer kit**  
drill bit, sealant finishing tool,  
hex wrenches, painters tape

**Specifications**  
Standard

Overhead View



**Technical Information**

- Shower door style: double sliding
- Glass thickness: 8mm (5/16") clear tempered glass
- Roller size: 45mm (1-3/4") stainless steel
- Anti-lift pins: 29mm (1-1/8") stainless steel
- Knob size: 29mm x 25mm (1-1/8" x 1") stainless steel
- Towel bar size: 730mm (28-3/4") industrial gauge aluminum
- Track size: 1510mm x 60mm (59-7/16" x 2") industrial gauge aluminum
- Unit height: 1981mm (78")
- Unit width Min: 1435mm (56-1/2")
- Unit width Max: 1524mm (60")
- Walk-through width Min: 643mm (25-5/16")
- Walk-through width Max: 732mm (28-7/8")
- Walk-through height: 1854mm (73")